



ELGIN & HALL[®]

BRITISH MADE

COMPLETE COLLECTION



HEATING HOMES FOR GENERATIONS



Welcome

An Elgin & Hall fireplace could easily be the most rewarding addition you make to your home and its value. Since the foundation of our parent company in 1964, we have successfully continued to grow from our base in the North East of England. Every design is lovingly created here in the UK.

Over 59 years of continuous innovation and development has provided us with a collection of fires and fireplaces to suit any interior and lifestyle, whilst always adhering to our founding principles of elegance and simplicity. This timeless quality means your chosen fireplace will always be comfortably in agreement with your tastes in furnishing and décor.

You can rest assured that our gas fires are engineered, produced and tested for peak performance and reliability.

Our surrounds are designed to keep up with changing lifestyles and include features which only we can produce thanks to our investment in the latest machinery.

At the same time, we depend on our craft skills to hand finish and polish each marble or timber piece to perfection. It is this balance of innovation and heritage that makes your Elgin & Hall fireplace uniquely special.

As part of the BeModern® Group we manufacture a range of product in house, to include, surrounds, fires and fireplaces in marble and timber, as well as steel and cast stoves. Our bathroom range suits both the traditional and contemporary home.



Understanding a fireplace

Motion Sense Lights

Undermantle LED down lights offer a warm glow to your surround and fire. Turn on by the simple motion of your hand.

Fire

The heart of the fireplace. Choose a Gas inset fires, to finish your fireplace. Electric is also a great choice, find your perfect PRYZM electric fire from pryzmfires.com

Back Panel

A flat surface that is located at the back of the fireplace and where the inset fire sits inside.

Choosing your fireplace



Micro Marble Surrounds

- Suitable for gas and electric inset fires
- Suitable for inset electric stoves*

Page 6



Micro Marble Inglenook

- Micro marble inglenook with marble or timber back panel
- Suitable for freestanding electric stoves
- Flat to wall fix
No chimney or flue needed
- Choice of electric stoves*

Page 22



Timber Inglenook

- Suitable for freestanding electric stoves with no back panel cut out or inset electric stove with a cut out
- Flat to wall fix - No chimney or flue needed
- Choice of electric stoves*

Page 26

*See pryzmfires.com for electric fires & stoves



Shelf / Mantel

The top of the fireplace. The best place to display your ornaments.

Leg / Surround

The uprights of a fireplace. Gives height and decoration to a fireplace. Our Surrounds are precision machined and assembled making sure you receive perfection.

Hearth

The base part of the fireplace. The hearth sits on the floor and the rest of the fireplace sits on top.

Contents

Welcome	2
Our Commitment	4-5
Our History	4-5
Micro Marble Surrounds	6
Micro Marble Inglenooks	22
Timber Inglenooks	26
Micro Marble Gas Fireplaces	28
Inset Gas Fires	38
Gas Stoves	48
Multifuel Stoves	52
Technical Specification	56
Our Brands	59



Micro Marble Gas Fireplaces

- Marble surround with integrated gas fire
- Suitable for Chimney, Pre-Fab or Pre-Cast flues
- Smartslide controls for easy use
- Up to 5.4kW heat output

Page 28



Inset Gas Fires

- Inset Gas fire suitable for all flue and chimney types
- Open and Glass fronted
- Smartslide and Manual options
- Real flame

Page 38



Gas & Multifuel Stoves

- Large viewing window of a real flame
- Remote control and Manual options
- Eco Design & DEFRA approved

Page 48

Contact Us

Tel: 0191 430 9434
 enquiries@elginandhall.co.uk
 www.elginandhall.com

Elgin & Hall
 19/34 Bedesway
 Bede Industrial Estate
 Jarrow, Tyne and Wear
 NE32 3BE

Our Commitment

Highest Standards of Quality BeModern® furniture suppliers manufacture a world class product and continuous investment means we are recognised as the industry leader:

- Operating to ISO 9001:2015 accreditation
- Working closely with our supply partners to maintain the highest quality of raw materials.
- Investing in new technologies to provide innovative solutions.




Our CSR Policies


We are aware that global climate change threatens the wellbeing of the natural environment and society. Whilst governments around the world move to agree on cutting greenhouse emissions, as a British manufacturer BeModern® works to minimise our own carbon footprint, cut emissions, reduce waste, recycle and reap the benefits of new, green ways of running a manufacturing business.

Responsible Manufacturing

We are dedicated to minimising the environmental impacts of our manufacturing activities and seek to explore new ideas through eco innovation, for example our investment of over £1m in an eco-boiler to convert all waste timber into heat for our factories.



Our history so far



Environmental Management

Having been accredited with ISO 14001:2015, the internationally recognised environmental management standard, BeModern® is committed to continually improving the effectiveness of our environmental management system.


Transport

BeModern® logistics department makes thousands of deliveries each year, providing us with an opportunity to reduce the carbon footprint through regularly modernising our fleet to minimise noise and air pollution and training drivers in fuel efficient, safe driving.

FSC® Certified Timber

BeModern® relies heavily on wood as a significant component in its wide range of products. With the ever-increasing demand for forestry products, the company takes a proactive stance in conservation. To fulfil its commitment to sustainable practices, BeModern® exclusively utilizes FSC® certified timber in the production of all its items.

Additionally, the company holds a complete Forest Stewardship Council® chain of custody certification, ensuring that its wood supply adheres to strict environmental standards throughout the supply chain.



Micro Marble Surrounds

WHAT IS MICRO MARBLE?

Micro marble is small pieces of real marble that has been crushed and compacted together and mixed with resin to ensure a smooth and even surface.

This is a beautiful material that we hand craft into a range of stylish and classic designs perfect for all tastes and homes.



Contents

Millington	7
Deanswood	8
Roesia.....	9
Elento	10
Amorina	10
Newburgh	11
Verdena.....	12
Mosello	13
Vitalia.....	14
Viena.....	15
Odella	16
Odella Inglenook.....	17
Eliana.....	18
Sophia	19
Florano	20
Timara.....	21

Icon Key



Motion Sense Undermantel LED lighting is available on all our marble surrounds activated from a subtle hand movement across the surround.



Bespoke Hearth sizes

You may want to cover an existing footprint of an old fireplace with the new hearth. Ask your local retailer for more information.

Hearth Options



Finishes

Our micro marble is available in 5 stunning finishes



— NEW —

Millington

Micro Marble Surround

54" Millington surround shown in Pearlstone micro marble with Motion Sense LED lights styled with a **Calleos 16** gas fire with Edge fascia in Black Nickel.

54"
W: 1370mm
H: 1162mm
D: 400mm

Calleos 16
Edge - Black Nickel



Millington | Micro Marble Surround | eighnathall.com

EEC: D



Fire Fit Options	
Electric	Gas
16" 22"	16" 22"

Rebate
45mm / 75mm

Back Panel cut out
16" / 22"

— NEW —

Deanswood

Micro Marble Surround

The 52" Deanswood surround in White micro marble with Motion Sense LED lights styled with an **Arteon 16** electric fire with a Devotion Chrome fascia

52"
W: 1320mm
H: 1145mm
D: 400mm

Arteon 16
Devotion - Chrome



Deanswood | Micro Marble Surround | elginahdhal.com

SL



Scan for Electric Fire Options

— SHOWN —

White

Fire Fit Options

Electric	Gas
16" 22"	16" 22"

Rebate
45mm / 75mm

Back Panel cut out
16" / 22"

Roesia

Micro Marble Surround

50" Roesia surround in White micro marble with Motion Sense LED lights styled with a small **Beacon** inset electric stove


50"
W: 1270mm
H: 1145mm
D: 400mm

Beacon
Inset electric stove



Roesia | Micro Marble Surround | elginahall.com

SL | FS | BN |  

 Scan for Electric Fire Options

— SHOWN —
White



Fire Fit Options	
Electric	Gas
16" 22"	16" 22"

Rebate
45mm / 75mm

Back Panel cut out
16" / 22"

Elento

Micro Marble Surround

52" Elento surround in White & Grey slip micro marble with Motion Sense LED lights styled with a large **Beacon** inset electric stove

52"
W: 1320mm
H: 1115mm
D: 400mm

Large Beacon inset electric stove

Rebate
45mm / 75mm

Back Panel cut out
16" / 22"

Elento | Micro Marble Surround | elgimandhall.com



SL



Scan for Electric Fire Options

— SHOWN —

White & Grey slip

Amorina

Micro Marble Surround

50" Amorina surround in Manila micro marble with Motion Sense LED lights styled with a 16" **Pryzm** inset electric fire with Devotion fascia in Brushed Steel

50"
W: 1270mm
H: 1137mm
D: 400mm

Pryzm 16
Devotion - Brushed Steel

Rebate
45mm / 75mm

Back Panel cut out
16" / 22"

Amorina | Micro Marble Surround | elgimandhall.com



SL

FS

BN



Scan for Electric Fire Options

— SHOWN —

White

Manila

— NEW —

Newburgh

Micro Marble Surround

54" Newburgh surround in Rigel micro marble with Motion Sense LED lights styled with a **Calleos 22** inset gas fire with a Cast Stove Front

54"
W: 1370mm
H: 1162mm
D: 400mm

Calleos 22
Cast Stove Front




Newburgh | Micro Marble Surround | elginandhall.com

EEC: C

SL



White



Rigel



Pearlstone

Fire Fit Options

Electric

Gas

16" | 22"

16" | 22"

Rebate

45mm / 75mm

Back Panel cut out

16" / 22"

Verdena

Micro Marble Surround

54" Verdena surround in White micro marble with Motion Sense LED lights styled with a **Devotion** gas fire in Black Nickel

48"
W: 1220mm
H: 1110mm
D: 400mm

54"
W: 1370mm
H: 1110mm
D: 400mm

Devotion gas fire
Black Nickel

Verdena | Micro Marble Surround | elginandhall.com



EEC: C-F



Fire Fit Options		Rebate 45mm / 75mm	Back Panel cut out 16" / 22"*
Electric	Gas		
16" 22"	16" 22"		

*22" cut out is not available on 48" model

Mosello

Micro Marble Surround

52" Mosello surround in White & Grey slip micro marble with Motion Sense LED lights styled with a **Calleos 16** gas fire in Black Nickel

52"
W: 1320mm
H: 1115mm
D: 400mm

16" Calleos
Black Nickel



Mosello | Micro Marble Surround | eighnachai.com

EEC: D



Fire Fit Options	
Electric	Gas
16" 22"	16" 22"

Rebate
45mm / 75mm

Back Panel cut out
16" / 22"

Vitalia

Micro Marble Surround

52" Vitalia surround in White micro marble with Motion Sense LED lights styled with a **Calleos 22** gas fire in Black Nickel

48"
W: 1220mm
H: 1080mm
D: 400mm

52"
W: 1320mm
H: 1040mm
D: 400mm

22" Calleos
Black Nickel

Vitalia | Micro Marble Surround | elginandhall.com

EEC: C



Fire Fit Options		Rebate 45mm / 75mm	Back Panel cut out 16" / 22"*
Electric	Gas		
16" 22"	16" 22"		

*22" cut out for Calleos gas is not available on 48" model (Only Chollerton electric is compatible) - See pryzmfires.com

Viena


Micro Marble Surround

48" Viena surround in White micro marble with Motion Sense LED lights featuring the 16" **Chollerton** electric fire in Chrome


48"
W: 1220mm
H: 1110mm
D: 400mm

54"
W: 1370mm
H: 1110mm
D: 400mm

16" Chollerton
Chrome



Viena | Micro Marble Surround | elginhall.com



Fire Fit Options	
Electric	Gas
16" 22"	16" 22"

Rebate
45mm / 75mm

Back Panel cut out
16" / 22"*

*22" cut out not available on 48" model

Odella

Micro Marble Surround

54" Odella surround in White micro marble with Motion Sense LED lights styled with an **Exclusive** inset gas fire - Chrome (Top).

54"
W: 1370mm
H: 1160mm / 1235mm
D: 400mm

16" Exclusive inset gas fire - Chrome



Odella | Micro Marble Surround | elghandhall.com

EEC: C-F



Fire Fit Options		Rebate 75mm	Back Panel cut out 16" / 22"
Electric	Gas		
16" 22"	16" 22"		

Odella

Micro Marble Inglenook

54" Odella inglenook in White micro marble with Motion Sense LED lights styled with a **Heslington** electric stove in Matt Black

54"
W: 1370mm
H: 1235mm
D: 400mm

Inglenook Rear Hearth
W1016mm
H20mm
D457mm

Heslington
electric stove

Odella | Micro Marble Inglenook | eighnandhall.com



Scan for Electric
Fire Options

— SHOWN —

White

Stove Options
Electric | Gas
Free Standing Stoves

Rebate
75mm

Opening Height:
908mm

Inside Leg Opening
Width: 856mm

Eliana

Micro Marble Surround

52" Eliana surround in White micro marble with Motion Sense LED lights styled with a **Calleos 16** gas fire with Chollerton fascia in Chrome

48"
W: 1220mm
H: 1155mm
D: 400mm

52"
W: 1320mm
H: 1155mm
D: 400mm

Calleos 16 - Chollerton Chrome



Eliana | Micro Marble Surround | eiginandhall.com

EEC: D



Fire Fit Options	
Electric	Gas
16" 22"	16" 22"

Rebate
45mm / 75mm

Back Panel cut out
16" / 22"*

Sophia

Micro Marble Surround

50" Sophia surround in White micro marble with Motion Sense LED lights styled with a 16" **Devotion** gas fire in Black Nickel

50"
W: 1270mm
H: 1145mm
D: 400mm

Devotion gas fire
Black Nickel



Sophia | Micro Marble Surround | elginandhall.com

EEC: C-F



Fire Fit Options	
Electric	Gas
16" 22"	16" 22"

Rebate
45mm / 75mm

Back Panel cut out
16" / 22"

Florano

Micro Marble Surround

48" Florano surround in White micro marble & Black Granite with Motion Sense LED lights styled with a 16" Devotion gas fire in Black Nickel

42"
W: 1070mm
H: 1050mm
D: 400mm

48"
W: 1220mm
H: 1095mm
D: 400mm

16" Devotion gas fire
Black Nickel

Florano | Micro Marble Surround | elghandhall.com



Fire Fit Options	
Electric	Gas
16" 22"	16"

Rebate
45mm / 75mm

Back Panel cut out
16"



Timara

Micro Marble Surround

48" Timara surround in White & Grey slip micro marble with Motion Sense LED lights styled with a **Calleos 16** gas fire in Black Nickel

42"
W: 1070mm
H: 1050mm
D: 400mm

48"
W: 1220mm
H: 1095mm
D: 400mm

Calleos 16 gas fire
Black Nickel





Timara | Micro Marble Surround | elgindahall.com

EEC: D

SL*

FS*

BN*



Fire Fit Options	
Electric	Gas
16" 22"	16" 22"

Rebate
45mm / 75mm

Back Panel cut out
16"

*SL available on 42" & 48". BN, FS available on 48" only | ** Available on 48" only

Micro Marble Inglenook

The charm of micro marble is captivating in an Inglenook design; available in White, this surround can be beautifully paired with up to 6* optional back panels.

Choose from:

- White Marble
- Black Slate effect
- Metal Rock effect
- Chicago Concrete Herringbone
- Grey Slate effect
- Grey Herringbone

to create the perfect combination to compliment your interior whether contemporary or traditional.

Motion Sense under mantel lighting can be activated from a subtle hand movement across the surround to adorn the inglenook back panel with a warm glow.

Our micro marble inglenooks are suitable for electric stoves only; choose from our range of contemporary and traditional electric stoves and add a decorative flue for the look of a real woodburning stove.

Find your perfect electric stove at pryzmstoves.com

*Model dependant

Contents

Holton	23
Woodbridge	24
Millgate	25

Icon Key



Motion Sense Undermantel LED lighting is available on all our marble surrounds activated from a subtle hand movement



Flat Wall Fix
Simple, hassel free installation. No chimney breast is required, simply secure to your flat wall.



Decorative Flue available
An optional decorative flue is available on most of our electric stoves.

Hearth Options



Standard Lipped

Stove Options

A selection of our electric stoves can be paired with our inglenooks.



See our Pryzm brochure for more options.
Or visit www.pryzmfires.com



Heslington
Matt Black



Beacon
Ash White




Desire
Matt Black




Ora
Matt Black

Back Panel Options


Choose your perfect back panel from this choice.
Each back panel has a cut out for a cable & plug to pass through. Model dependant.




Black Slate
effect



Metal Rock
effect



Chicago
Concrete
Herringbone



White



Grey Slate
effect



Grey
Herringbone

Holton

Micro Marble Inglehook

50" Holton micro marble inglenook with a choice of 3 back panels suitable to style with one of our Pryzm electric stoves

50"
W: 1270mm
H: 1145mm
D: 400mm

White
Micro Marble

Heslington
Electric Stove



Black Slate effect | Beacon Small electric stove



White Micro Marble | Ora 5 electric stove



Metal Rock effect | Heslington Plain Door electric stove



Back Panel Options

White Micro Marble

Black Slate effect

Metal Rock effect

— SHOWN —

White



Stove Fit Options
Electric
See Pryzm Brochure

Opening:
W772mm x H809mm

Depth: Hearth
Front to Back
Panel - 365mm

Woodbridge

Micro Marble Inglenook

48" Woodbridge micro marble inglenook with a choice of 4 back panels suitable to style with one of our electric stoves

48"
W: 1220mm
H: 1095mm
D: 400mm

Chicago Concrete
Herringbone

Desire
Electric Stove



Grey Slate effect | Desire electric stove



White Micro Marble | Desire electric stove



Grey Herringbone | Canterbury electric stove



Back Panel Options

White Micro-Marble

Grey Slate effect

Grey Herringbone

Chicago Concrete Herringbone

White



Stove Fit Options
Electric
See Pryzm Brochure

Opening:
W820mm x H845mm

Depth: Hearth Front to
Back Panel - 365mm

Millgate

Micro Marble Inglenook

46" Millgate micro marble inglenook with a choice of 4 back panels suitable to style with one of our electric stoves

46"
W: 1170mm
H: 1064mm
D: 400mm

White
Micro Marble

Southgate
Electric Stove



Back Panel Options

White Micro-Marble

Grey Slate effect

Grey Herringbone

Chicago Concrete Herringbone

— SHOWN —

White



Stove Fit Options
Electric
See Pryzm Brochure

Opening:
W754mm x H786mm

Depth: Hearth
Front to Back
Panel - 365mm

Timber Inglenook

These beautifully designed flat to wall fit inglenooks give the added depth of an inglenook without the need for any remedial work to the wall they are positioned against.

The Charlestown model is ideally designed to accommodate inset electric stoves, featuring a standard sized 16" cut-out back panel. On the other hand, the Amble model is perfectly tailored for freestanding electric stoves, featuring a convenient back panel notch, allowing for easy passage of cables and plugs.

Icon Key



Motion Sense Undermantel LED lighting is available on all our marble surrounds.



Flat Wall Fix

Simple, hassle free installation. No chimney breast is required, simply secure to your flat wall.

Charlestown

Timber Inglenook Surround

The 46" Charlestown Timber Inglenook in Soft White painted finish styled with a Country Oak top and an inset **Beacon** electric stove

46"
W: 1170mm
H: 990mm
D: 380mm

Beacon inset electric stove



Charlestown | Timber Inglenook | elginandhall.com



— SHOWN —

Soft White & Country Oak



Stove Fit Options
Electric
See Pryzm Brochure

Back Panel cut out: 16"

Opening
W688mm x H750mm
Rebate: 85mm

Depth: Hearth Front to Back Panel - 295mm

Suitable for inset electric stoves only

Hearth Key



Stove Options

Discover your perfect inset electric stove to fit the Charlestown or embrace the charm of a freestanding electric stove to suit the Amble.

Explore the full range via our PRYZM brochure.
www.pryzmfires.com



Beacon



Heslington



Ora

Amble

Timber Inglenook

52" Amble Inglenook in Ice White & Metal Rock Effect back panel with Motion Sense LED lights styled with our **Beacon** electric stove in Matt Black



Amble | Timber Inglenook | elgihandhall.com



- SL
- FLAT WALL FIX
- MOTION SENSE LED LIGHTS
- DECORATIVE FLUE

— SHOWN —

Ice White & Metal Rock effect



Stove Fit Options
Electric
 See Pryzm Brochure

Opening:
 864mm x 860mm

Depth: Hearth
 Front to Back
 Panel - 322mm

Suitable for
 freestanding electric
 stoves only

Freestanding stove sold separately

Micro Marble Gas Fireplaces

Pre-Cast or Standard flue solutions


We have engineered a way to fit our highly desirable Elsie 950 gas fire into the standard 16 x 22" opening in a UK chimney breast or pre-cast flue, with no building work.

Our hotly anticipated Calleos 600CF, 750CF & 800CF gas fires have been perfectly paired with unique Elgin & Hall micro marble designs, this creating the ultimate complete gas fireplace. With its market leading dual gas burner, the Calleos puts Elgin & Hall a step ahead of the market. Indulge in the ultimate luxury and opt for the non-reflective glass which will amaze your viewing pleasure, creating the illusion of no glass, simply, crystal clear.

Contents

Hartley 600CF	29
Erdington 600CF / 750CF	30-31
Alford 600CF / 750CF	32-33
Harlow 800CF	34
Seaton 750CF	35
Cassius	36
Earlston.....	36
Adele 800CF	37

Flue Fit Options



Icon Key




Smartslide Control
Super controllable and easy to use.

Hearth Options



Elsie 950 - Easy installation guide



Finishes

Our micro marble is available in 5 stunning finishes



Hartley

600CF Micro Marble Gas Fireplace

50" Hartley gas fireplace in White micro marble comes complete with the **Calleos 600CF** integrated gas fire. Be mesmerised by the unique dual gas burner and it's flame pattern.

50"
W: 1270mm
H: 1080mm
D: 300mm

16" Calleos 600CF
gas fire



Hartley | Micro Marble Gas Fireplace | elginhandcrafts.com

EEC: E

SL



— SHOWN —

White

Flue Fit Options
Standard

Conventional Class 1 | Conventional Class 2

Heat Output
2.9 / 4.5kW

Non Reflective Glass
available as optional extra

Dual Gas
Burner

— NEW —

Erdington

600CF Micro Marble Gas Fireplace

54" Erdington gas fireplace with the **Calleos 600CF** gas fire and a choice of 3 micro marble finishes

54"
W: 1370mm
H: 1162mm
D: 300mm

600CF gas fire




Erdington | Micro Marble Gas Fireplace | eighandhall.com

EEC: E

SL



White



— SHOWN —

Rigel



Pearlstone

Flue Fit Options
Standard

Conventional Class 1 | Conventional Class 2

Heat Output
2.9 / 4.5kW

Dual Gas
Burner

Non Reflective
Glass available
as optional extra

— NEW —

Erdington

750CF Micro Marble Gas Fireplace

54" Erdington gas fireplace with the **Calleos 750CF** gas fire and a choice of 3 micro marble finishes

54"
W: 1370mm
H: 1162mm
D: 300mm

750CF gas fire



Erdington | Micro Marble Gas Fireplace | elginandhall.com

EEC: E



Flue Fit Options
Standard
Conventional Class 1 | Conventional Class 2

Heat Output
3.5 / 5.4kW

Dual Gas
Burner

Non Reflective
Glass available
as optional extra

— NEW —

Alford

600CF Micro Marble Gas Fireplace

54" Alford gas fireplace with the **Calleos 600CF** gas fire and a choice of 3 micro marble finishes

54"
W: 1370mm
H: 1162mm
D: 300mm

Calleos 600CF
gas fire



Alford | Micro Marble Gas Fireplace | elgindahall.com

EEC: E

SL



White

— SHOWN —

Rigel

Pearlstone

Flue Fit Options
Standard

Conventional
Class 1

Conventional
Class 2

Heat Output
2.9 / 4.5kW

Dual Gas
Burner

Non Reflective
Glass available
as optional extra

— NEW —

Alford

— 750CF Micro Marble Gas Fireplace —

54" Alford gas fireplace with the **Calleos 750CF** gas fire and a choice of 3 micro marble finishes

54"
W: 1370mm
H: 1162mm
D: 300mm

Calleos 750CF
gas fire



Alford | Micro Marble Gas Fireplace | elginandhall.com

EEC: E

SL



— SHOWN —



White

Rigel

Pearlstone

Flue Fit Options
Standard

Conventional Class 1 | Conventional Class 2

Heat Output
3.5 / 5.4kW

Dual Gas
Burner

Non Reflective
Glass available
as optional extra

— NEW —

Harlow

800CF Micro Marble Gas Fireplace

54" Harlow gas fireplace in White micro marble complete with a Calleos 800CF gas fire

54"
W: 1370mm
H: 930mm
D: 300mm

Calleos 800CF
gas fire



Harlow | Micro Marble Gas Fireplace | elginahdhal.com

EEC: E

SL



— SHOWN —

White

Rigel

Pearlstone

Flue Fit Options
Standard

Conventional Class 1 | Conventional Class 2

Heat Output
2.9 / 4.4kW

Dual Gas
Burner

Non Reflective
Glass available
as optional extra

— NEW —

Seaton

750CF Micro Marble Gas Fireplace

54" Seaton gas fireplace in White micro marble complete with Calleos 750CF gas fire

54"
W: 1370mm
H: 1150mm
D: 300mm

Calleos 750CF
gas fire



Seaton | Micro Marble Gas Fireplace | elginhall.com

EEC: E

SL



— SHOWN —

White

Flue Fit Options
Standard

Conventional Class 1 | Conventional Class 2

Heat Output
3.5 / 5.4kW

Dual Gas
Burner

Non Reflective
Glass available
as optional extra



Cassius

Micro Marble Gas Fireplace

52" Cassius gas fireplace in White & Grey slip micro marble complete with the Elsie 950 gas fire

52"
W: 1320mm
H: 967mm
D: 400mm

Elsie 950
Gas fire

Heat Output
4.6kW

Flue Fit Options

Standard

Conventional Class 1

Conventional Class 2

Pre-Cast

Pre-Cast*

**AWARD
WINNER**

**BEST GAS SUITE
& PRODUCT
OF THE YEAR**

EEC: C-E

SL



White

— SHOWN —

White
& Grey slip

Cassius | Micro Marble Surround | elginhandhall.com

Earlston

Micro Marble Gas Fireplace

48" Earlston gas fireplace in White micro marble complete with Elsie 950 gas fire

48"
W: 1220mm
H: 897mm
D: 400mm

Elsie 950
Gas fire

Heat Output
4.6kW

Flue Fit Options

Standard

Conventional Class 1

Conventional Class 2

Pre-Cast

Pre-Cast*

EEC: C-E

SL



— SHOWN —

White

Manila

Earlston | Micro Marble Surround | elginhandhall.com

Adele

800CF Micro Marble Gas Fireplace

The Adele micro marble fireplace is designed for the **Calleos 800CF** gas fire and is suitable for both conventional class 1 and class 2 flues. A unique dual gas burner creates a truly mesmerising flame pattern

54"
W: 1370mm
H: 875mm
D: 300mm

Calleos 800CF
gas fire



Adele - Slim Trim | Micro Marble Gas Fireplace | elghendhall.com

EEC: E


SL



Adele - Wide Trim

EEC: E

SL



Flue Fit Options

Standard

Conventional Class 1 | Conventional Class 2

Heat Output
2.9 / 4.4kW

Dual Gas
Burner

Non Reflective
Glass available
as optional extra

Wide Trim
available as
optional extra

Inset Gas Fires

Once you've selected your new surround, you may choose to give it a warm glowing heart with an Elgin & Hall gas fire.

Our gas fires are controllable and convenient to operate with a discreet Smartslide control mounted on the top side or a manual control and igniter located behind the fret - flame height and heat output is at your control.



Installation

Current regulations stipulate that all gas fire installations must be carried out by a Registered Gas Safe Engineer.

For information and advice on a Gas Safe Engineer, please contact your local Elgin & Hall retailer.



Servicing

All gas fires need to be serviced annually by a Registered Gas Safe Engineer to ensure continued operation and optimum performance.

This annual service is a condition of our 5 year limited warranty, and you must show record of approved servicing.



5 Warranty

We provide a 5 year Limited Warranty* so you can be confident you have purchased and installed a high quality product.

*Terms & conditions apply.

Safety Assurance



Flame Failure Device

All of our gas fires are fitted with a flame monitoring device ensuring that in the event of the flame going out during its operation, the gas supply to the fire is instantly cut off.



Oxygen Depletion Sensor

For your safety, all our gas fires are fitted with an Oxygen Depletion Sensor. This will shut off the gas supply if the oxygen level in the room is too low or if there is a blockage in the chimney or flue.



Quality Approved

All our fires are manufactured in accordance with internationally recognised Quality and Environmental Management System Standards ISO 9001:2015 and ISO 14001:2015 guaranteeing responsible working and product quality.

Accessories



Xtra Canopy

The Xtra canopy kit* "tunes" the appliance to your flue to raise the efficiency by up to 8% on an open fronted fire.

*Available on Slimline or Deepline Radiant models only



Spacer Kit*

The spacer kit fits to the rear of the fire to reduce the depth by 25mm. It is ideal for use with pre-cast flues.

*Not available on the Cast Stove Front fascia



Handle Options

An easy grip* attachment allows those with restricted movement to control the ignition & heat.

Matching colour handles are available in Brass & Chrome. A Black Smartslide handle is supplied as standard with Smartslide models.

*Easy grip handle not suitable for Calleos gas fire.

Super Controllable



Smartslide Control

All gas fires are available with a Smartslide Control feature to turn the fire on and regulate its flame level. Mounted on the side of the fire, the control provides convenience of operation.



Manual Control


If you prefer the traditional feel of a gas fire choose one of our open fronted models with manual controls. Concealed behind the fret of the fire, the controls are easy to access so you can regulate your desired flame setting and heat output then sit back and enjoy the new focus of your living room.

Choosing the right engine

Open Fronted


Slimline Radiant

Radiant gas fires pull in cold air through their open front, circulating it over the real flames and emitting it back into the room.



Flue Type	Conventional Class 1 & 2 + Pre-Cast			
Gas Type	Natural Gas			
Efficiency	52% (58% with Xtra canopy)			
Control	Smartslide or Manual			
EEC	F			
EEI (%)	43% (48% Canopy)			
Heat Input:	Manual	6.75kW		3.5kW
	Smartslide			3kW
Heat Output:	Manual	3.2kW	3.5kW	1.5kW
	Smartslide			1.3kW
				1.7kW
				1.4kW


Deepline Radiant



Flue Type	Conventional Class 1 & 2 + Pre-Cast*			
Gas Type	Natural Gas			
Efficiency	52% (57% with Xtra canopy)			
Control	Smartslide or Manual			
EEC	F			
EEI (%)	43% (48% Canopy)			
Heat Input:	Manual	6.75kW		3.5kW
	Smartslide			3kW
Heat Output:	Manual	3.2kW	3.5kW	1.5kW
	Smartslide			1.3kW
				1.6kW
				1.4kW

Deepline Convector

Hot air is transferred through the canopy to circulate the warmth around the room.




Flue Type	Conventional Class 1 & 2		
Gas Type	Natural Gas		
Efficiency	64%		
Control	Smartslide or Manual		
EEC	F		
EEI (%)	55%		
Heat Input:	Manual	6.75kW	3.5kW
	Smartslide		3kW
Heat Output:	Manual	3.9kW	1.8kW
	Smartslide		1.6kW

Glass Fronted


Mid-Depth

A panel of ceramic glass prevents air from being sucked up through the front of the fire and directing heat up the chimney, meaning a higher percentage of convected and radiant heat is propelled back into the room.




Flue Type	Conventional Class 1 & 2 + Pre-Cast	
Gas Type	Natural Gas	
Efficiency	82%	
Control	Smartslide	
EEC	D	
EEI (%)	73%	
Heat Input	High 3.7kW	Low 2.5kW
Heat Output	High 2.7kW	Low 1.7kW

Deepline



Flue Type	Conventional Class 1 & 2	
Gas Type	Natural Gas	
Efficiency	87%	
Control	Smartslide	
EEC	C	
EEI (%)	79%	
Heat Input	High 5.3kW	Low 2.7kW
Heat Output	High 4.2kW	Low 2kW

Calleos




Flue Type	Conventional Class 1 & 2		
Gas Type	Natural Gas		
Efficiency	16" = 81% 22" = 87%		
Control	Smartslide		
EEC	16" = D 22" = C		
EEI (%)	16" = 72% 22" = 78%		
Heat Input:	16"	4.8kW	3kW
	22"	5.3kW	2.7kW
Heat Output:	16"	3.5kW	2.1kW
	22"	4.2kW	2.0kW

Balanced Flue Glass Fronted

Balanced Flue


This glass fronted balanced flue gas fire is pleasingly traditional with a welcome efficiency of 86% and a cosy 3.3kW heat output. Complete with Balanced Flue Kit.



Flue Type	Balanced Flue		
Gas Type	Natural Gas		
Efficiency	86% EEC:C		
Control	Smartslide or Manual		
EEI (%)	77%		
Heat Input:	Manual	4.2kW	2.9kW
	Smartslide		2.7kW
Heat Output:	Manual	3.3kW	2.1kW
	Smartslide		2kW

Calleos Balanced Flue

The Calleos glass fronted balanced flue gas fire is modern styled with a efficiency of 83.2% and a snug 3kW heat output. Complete with Balanced Flue Kit.



Flue Type	Balanced Flue		
Gas Type	Natural Gas		
Efficiency	83.2% EEC:D		
Control	Smartslide		
EEI (%)	74%		
Heat Input:	Smartslide	3.9kW	2.4kW
	Smartslide	3kW	1.7kW

* When installed with a 75mm rebate surround
Energy Efficiency Class (EEC)

16" Inset Gas fires

Our Exclusive and Devotion Fascia range now offers an additional option - the Cast Stove Front. You can choose whether to include the matching 4 bar fret, opt for the Cast Stove Front, or go without any front, granting you the freedom to select your own fret. This exciting level of customization empowers you to create a truly unique and individual look.

Fire Engine	Inset Depth	Flue Type	Gas Type	Minimum Aperture in Chimney	Open or Glass Fronted	Xtra Canopy	Control
Slimline Radiant	123mm	Conventional Class 1 & 2 + Pre-Cast	Natural Gas	W405mm x H555mm	Open Fronted	<input checked="" type="checkbox"/>	Smartslide & Manual
Deepline Radiant	173mm	Conventional Class 1 & 2 + Pre-Cast	Natural Gas			<input checked="" type="checkbox"/>	Smartslide & Manual
Deepline Convector	198mm	Conventional Class 1 & 2	Natural Gas			<input checked="" type="checkbox"/>	Smartslide & Manual
Mid Depth H.E	128mm	Conventional Class 1 & 2 + Pre-Cast	Natural Gas		Glass Fronted	<input checked="" type="checkbox"/>	Smartslide
Deepline H.E	198mm	Conventional Class 1 & 2	Natural Gas			<input checked="" type="checkbox"/>	Smartslide
Balanced Flue*	186mm	Balanced Flue	Natural Gas	N/A		<input checked="" type="checkbox"/>	Smartslide & Manual

*Includes: Balanced Flue kit

Cast Stove Front

The 16" Cast Stove Front inset gas fire, radiates the full experience of a real stove but with the convenience of being inset into an existing back panel. A heavy cast iron fascia finishes this model to give a room a true luxurious aesthetic. The glass fronted engine offers an array of highly realistic dancing flames, whilst providing instant heat and with the option for a slide or manual control.



Fascia	Width	Height	Depth
Exclusive	510mm	605mm	Inset Depth (See table)
Devotion	510mm	605mm	
Cast Stove Front	562mm	659mm	

— Exclusive Fascia Collection —



The framework of the Exclusive trim has a flat face with a long bevelled edge that slopes down towards the fire. The trim is broad and slightly accented in profile to complement the four boldly curving bands of the fret.

In Brushed Steel, Brass, Chrome or Black, the harmony of the trim and fret creates a modern but sympathetic note to a stylish interior.

Exclusive finishes:



— Devotion Fascia Collection —



The distinguishing feature of this range of designs is the Black finished framework bordering either side of the metal trim. This serves to provide a dramatic contrast which accentuates the Chrome, Brass, Black Nickel or Brushed Steel finish.

The fret itself curves slightly outwards to add extra interest.

Devotion finishes:



NEW BALANCED FLUE OPTION AVAILABLE



Chollerton Fascia

Calleos 16

16" Inset gas fire

Chollerton Fascia	Chrome or Black Nickel
Dims	W 512mm x H 611mm D 232mm Inset Depth 197mm Bal Flue Inset Depth: 290 - 580mm
Back Panel Cut Out	W 405-450 x H 555-570mm
Min / Max Output	2.1 / 3.5kW (Bal Flue: 1.7 / 3.0kW)
Efficiency	Calleos: 81.1% EEC: D EEI: 72.1% Balanced Flue: 83.2% EEC: D EEI: 74%
Control	Smartslide
Flue Type	Conventional Class 1 & 2 + Balanced Flue
Gas Type	Natural Gas

Black Nickel

— SHOWN —

Chrome

NEW BALANCED FLUE OPTION AVAILABLE



Edge Fascia

Calleos 16

16" Inset gas fire

Edge Fascia	Chrome or Black Nickel
Dims	W 511mm x H 611mm x D 232mm Inset Depth 197mm Bal Flue Inset Depth: 290 - 580mm
Back Panel Cut Out	W 405-450 x H 555-570mm
Min / Max Output	2.1 / 3.5kW (Bal Flue: 1.7 / 3.0kW)
Efficiency	Calleos: 81.1% EEC: D EEI: 72.1% Balanced Flue: 83.2% EEC: D EEI: 74%
Control	Smartslide
Flue Type	Conventional Class 1 & 2 + Balanced Flue
Gas Type	Natural Gas

— SHOWN —

Black Nickel

Chrome

NEW BALANCED FLUE OPTION AVAILABLE



Cast Stove Front

With 16" Calleos Inset gas fire

Fascia Finish	Matt Black
Dims	W 562mm x H 659mm x D 232mm Inset Depth 197mm Bal Flue Inset Depth: 290 - 580mm
Back Panel Cut Out	W 405-450 x H 555-570mm
Min / Max Output	2.1 / 3.5kW (Bal Flue: 1.7 / 3.0kW)
Efficiency	Calleos: 81.1% EEC: D EEI: 72.1% Balanced Flue: 83.2% EEC: D EEI: 74%
Control	Smartslide
Flue Type	Conventional Class 1 & 2 + Balanced Flue
Gas Type	Natural Gas

Matt Black



Calleos 22

22" Inset gas fire

Chollerton Fascia	Chrome or Black Nickel
Dims	W 612mm x H 611mm x D 230mm Inset Depth 195mm
Back Panel Cut Out	W 560-580 x H 585-600mm
Min / Max Output	2.0 / 4.2kW
Efficiency	87.2% EEC: C EEI: 78%
Control	Smartslide
Flue Type	Conventional Class 1 & 2
Gas Type	Natural Gas

— SHOWN —

Black Nickel

Chrome

Chollerton Fascia



Cast Stove Front

With 22" Calleos Inset gas fire

Fascia Finish	Matt Black
Dims	W 668mm x H 672mm x D 265mm Inset Depth 195mm
Back Panel Cut Out	W 560-580 x H 585-600mm
Min / Max Output	2.0 / 4.2kW
Efficiency	87.2% EEC: C EEI: 78%
Control	Smartslide
Flue Type	Conventional Class 1 & 2
Gas Type	Natural Gas

Matt Black



Elsie 950

Standard & Pre-cast flue solution

Surrounds available	Cassius Earlston
Dims	W 800mm x H 622mm x D 273mm Inset Depth 255mm
Min / Max Output	1.9kW / 4.6kW
Efficiency	75.3% EEC:E EEI: 66%
Control	Smartslide
Flue Type	Conventional Class 1 & 2 + Pre-Cast
Gas Type	Natural Gas

Matt Black

Shown in Cassius fireplace

Calleos 600CF

Inset wall mounted gas fire

The Calleos 600CF gas fire, compatible with both class 1 and class 2 flues, introduces an exhilarating advancement in glass-fronted gas fire designs. With the option of a Slim or Wide* trim, this fireplace seamlessly integrates into the wall, creating a sleek and minimalist appearance. Utilizing cutting-edge under-log dual burner technology, the Calleos 600CF showcases a captivating fuel bed arrangement and reflective black glass internal panels that are certain to leave a lasting impression.

Slim Trim
W: 598mm
H: 598mm
D: 280mm

Wide Trim
W: 747mm
H: 747mm
D: 280mm

Gas Type
Natural Gas

Efficiency
74.3% / EEC:E

Flue Type
Conventional
Class 1 & 2



Calleos 600CF with Slim Trim | Inset gas fire | elginandhall.com



Flame Detail



Wide Trim detail

Min / Max Output
2.9 / 4.5kW

Burner:
Dual Burner

Fascia Options:
Slim or optional Wide* trim

Glass Options
Standard or Non Reflective* glass

*Optional Extra | See installation instructions for further details

Calleos 750CF

Inset wall mounted gas fire

Offering a remarkable breakthrough in glass fronted gas fire innovations, the **Calleos 750CF** is designed to accommodate conventional class 1 and class 2 flues. It can be effortlessly installed within a fireplace wall, delivering an understated aesthetic with the choice of a Slim or optional Wide* trim. With its advanced under-log dual burner technology, this gas fire showcases an impressive fuel bed layout and features internal panels of reflective black glass, ensuring a visually stunning focal point.

Slim Trim
W: 748mm
H: 711mm
D: 280mm

Wide Trim
W: 807mm
H: 770mm
D: 280mm

Gas Type
Natural Gas

Efficiency
78.1% / EEC:E

Flue Type
Conventional
Class 1 & 2



Min / Max Output
3.5 / 5.4kW

Burner:
Dual Burner

Fascia Options:
Slim or optional Wide* trim

Glass Options
Standard or Non Reflective* glass

*Optional Extra | See installation instructions for further details

Calleos 800CF

Inset wall mounted gas fire

A true marvel in glass fronted gas fires, the **Calleos 800CF** presents an array of exciting features. Compatible with both class 1 and class 2 flues, this gas fire can be seamlessly incorporated into a fireplace wall, offering a minimalist ambiance when paired with either the Slim or optional Wide* trim. With its cutting-edge under-log dual burner technology, the Calleos 800CF boasts a captivating fuel bed arrangement and internally reflects with sleek black glass panels, guaranteeing a truly breathtaking display.

Slim Trim
W: 798mm
H: 415mm
D: 280mm

Wide Trim
W: 857mm
H: 474mm
D: 280mm

Gas Type
Natural Gas

Efficiency
74.7% / EEC:E

Flue Type
Conventional
Class 1 & 2



Calleos 800CF with Slim Trim | Inset gas fire | elginandhall.com



Flame Detail



Wide Trim detail

Min / Max Output
2.9 / 4.4kW

Control
Smartslide

Burner:
Dual Burner

Fascia Options:
Slim or optional Wide* trim

Glass Options
Standard or Non Reflective* glass

*Optional Extra | See installation instructions for further details

Elsie 960BF

— Balanced Flue inset wall mounted gas fire —

Experience the versatility and efficiency of our sleek and slender wall-mounted fire, seamlessly integrating into any exterior wall of your home. It creates a modern and sophisticated focal point for your space, exuding contemporary charm. This remarkable appliance effortlessly fits into a cavity wall, while offering the most profound fuel bed effect among its counterparts. Enhanced by a lustrous black glass interior, our gas fire guarantees an unrivalled display of dancing flames and a meticulously arranged ceramic log layout.

Elsie 960BF
W: 1198mm
H: 666mm
D: 187mm

Gas Type
Natural Gas

Efficiency
86% | EEC:C | EEI: 77%

Flue Type
Balanced Flue



Elsie 960BF | Inset Balanced Flue gas fire | elginandhall.com



Flame Detail



Trim detail

Min / Max Output
2.1 / 4.6kW

Includes Engine,
trim, lining set, flue
& cowl kit

Wall Depth
min 270 - max 725mm

Gas Stoves

From hand crafted ceramic fibre logs, the flame picture is remarkably reminiscent of a real woodburning stove.

Although the output is slightly less, the extra convenience of gas more than compensates.

Super Controllable



Remote Control

Effortless to operate, choose remote control* where available to easily change the heat.

*Only available on stated models



Manual Control

Our manual controls are easily accessible offering a convenient way to control the heat with in your room.



Installation

Current regulations stipulate that all gas stove installations must be carried out by a Registered Gas Safe Engineer. For information please contact your local Elgin & Hall retailer.



Servicing

All gas stoves need to be serviced annually by a Registered Gas Safe Engineer to ensure continued operation and optimum performance.



Warranty

Gas stove appliances carry a 1 Year warranty which covers any manufacturing faults. It is important to note that a number of components in your stove are classed as consumable and therefore will need to be replaced from time to time. (Consumable parts include grates, firebricks and rope.)



Flame Failure Device

All of our gas fires are fitted with a flame monitoring device ensuring that in the event of the flame going out during its operation, the gas supply to the fire is instantly cut off.



Oxygen Depletion Sensor

For your safety, all our gas fires are fitted with an Oxygen Depletion Sensor. This will shut off the gas supply if the oxygen level in the room is too low or if there is a blockage in the chimney or flue.



Quality Approved

All our fires are manufactured in accordance with internationally recognised Quality and Environmental Management System Standards ISO 9001:2015 and ISO 14001:2015 guaranteeing responsible working and product quality.

Safety Assurance

Endure

Freestanding Balanced Flue gas stove

The Endure freestanding Gas Stove is sleek, stylish and has a large glass viewing-window that adds a contemporary edge to a traditional gas stove aesthetic.



Endure
W: 542mm
H: 622mm
D: 336mm

Flue Diameter:
150mm | Balanced Flue*

Stove Heat Output:
3.3kW (high) 2.1kW (low)

Manual Control

Flue Outlet: Rear

Efficiency
86.2% |



Hereford

Freestanding gas stove

Experience the charm of our freestanding gas stove, featuring a realistic log bed and mesmerizing dancing flames. Conveniently controlled via remote, it offers adjustable warmth and comfort. With a cast iron door, it retains heat, adding timeless elegance to any space.

Hereford 5
W: 453mm
H: 606mm
D: 381mm

Hereford 7
W: 565mm
H: 606mm
D: 376mm

Flue Diameter
125mm








Hereford | Free Standing Gas Stove | elgmanhdhal.com



Stove Heat Output:
Hereford 5: 4.5kW (top) | 4kW (rear)
Hereford 7: 4.7kW (top)

Efficiency
Hereford 5: 83% (top) 74% (rear)
Hereford 7: 80% (top)

Energy Efficiency Class
Hereford 5 - (Top) Manual:  Remote: 
(Rear) Manual:  Remote: 
Hereford 7 - (Top) Manual: 

Ignite 5 & 7

Freestanding gas stove

Built from steel with a Matt Black finish cast iron door, the Ignite gas stoves are striking additions to the Elgin & Hall range. With a large panoramic window and realistic log bed, your room will be brought to life by the mesmerising flames.

Ignite 5
W: 430mm
H: 582mm
D: 371mm

Ignite 7
W: 542mm
H: 582mm
D: 345mm

Flue Diameter
125mm



Ignite | Free Standing Gas Stove | elginandhall.com



Stove Heat Output:
Ignite 5: 4.5kW (top) | 4kW (rear)
Ignite 7: 4.7kW (top)

Efficiency
Ignite 5: 83% (top) 74% (rear)
Ignite 7: 80% (top)

Energy Efficiency Class
Ignite 5 - (Top) Manual: D Remote: C
(Rear) Manual: E Remote: E
Ignite 7 - (Top) Manual: E

Desire 5 & 7

Freestanding gas stove

The Desire gas stoves have large glass windows that perfectly frame the dancing flames. Built from steel with smooth Matt Black finish with a stylish and realistic log bed.

Desire 5
W: 430mm
H: 582mm
D: 371mm

Desire 7
W: 542mm
H: 582mm
D: 345mm

Flue Diameter
125mm








Desire | Free Standing Gas Stove | elgimandhal.com



Stove Heat Output:
Desire 5: 4.5kW (top) | 4kW (rear)
Desire 7: 4.7kW (top)

Efficiency
Desire 5: 83% (top) 74% (rear)
Desire 7: 80% (top)

Energy Efficiency Class
Desire 5 - (Top) Manual:  Remote: 
(Rear) Manual:  Remote: 
Desire 7 - (Top) Manual: 

Multifuel Stoves

Multifuel stoves hold energy efficiency class (EEC) ratings of A, making them top of their class when it comes to reducing your carbon footprint.



Aftercare

Regular servicing is essential to maintain the optimal performance of multifuel stoves. When cleaning the stove's surface, ensure it has cooled down completely and use a soft brush. For tougher stains, a slightly damp lint-free cloth can be employed, but make sure to dry the surfaces promptly. Additionally, annual chimney sweeping is crucial for both multifuel and woodburning stoves to ensure fire safety at home. Over time, the high-temperature paint on your stove may lighten naturally. In such cases, consult your stove retailer for recommended paint, replacement parts, and spares to restore or touch up your stove.

Icon Key



What is Ecodesign Ready?

Ecodesign Ready is the European-wide programme to lower emissions and came into force in the UK from 2022. Our stoves comply with the new Ecodesign Ready programme when used as woodburning. Look for our Ecodesign logo.

Ecodesign Ready multifuel stoves are designed to burn at higher levels in the fire box. This greatly reduces the organic particulates that are normally released from a pre Ecodesign Ready multifuel stove. This in turn significantly reduces the level of emissions from woodburning and has a positive impact on carbon reduction.



HETAS is a non profit organisation that approves biomass and solid fuel appliances. With HETAS approved stoves you can be assured that the appliance conforms to the UK building regulations in its use and installation. Our stoves are so efficient they bear the HETAS approval.



ActiView Technology enables our stoves to self clean the glass for longer periods. By utilizing hidden ducts and channels, three types of airflow enhance combustion and minimize glass deposits.



5 Warranty

We provide a 5 year Limited Warranty* It is important to note that a number of components in your stove are classed as consumable and therefore will need to be replaced from time to time. (Consumable parts include grates, firebricks and rope.)

Glass does not carry any form of warranty, this is because the glass can only break through mechanical impact. *Terms & conditions apply.

Square Log Basket



W: 447mm
H: 340mm
D: 352mm

Curved Log Basket



W: 450mm
H: 358mm
D: 350mm

Hereford 5

Widescreen Freestanding multifuel stove

This British built cast iron stove is simplicity itself. Its primary and secondary air controls make it easy to regulate and Actiview technology keeps the glass clean on the door.

Hereford 5 Widescreen

W: 565mm

H: 608mm

D: 366mm

Flue Diameter

125mm



Hereford | Free Standing Multifuel Stove | elginandhall.com



Flue Outlet
Top and rear

Efficiency
Hereford 5: 79% | **A**

Heat Output
5kW

Ignite 5

Widescreen Freestanding multifuel stove

Built from cast iron & steel in Britain, the Ignite 5 widescreen has a cast iron door with a Matt Black finish and a soft curve to the base. The log store option adds convenience of not having to fetch fuel from outside.

Ignite 5 Widescreen
W: 542mm
H: 582mm
D: 356mm

Ignite 5 Widescreen
Log Store
W: 542mm
H: 827mm
D: 356mm

Flue Diameter
125mm

Ignite | Free Standing Multifuel Stove | elginandhall.com



Flue Outlet
Top and rear

Efficiency
Ignite 5: 79% | **A**

Heat Output
5kW

Desire 5

Widescreen Freestanding multifuel stove

This British-built stove embodies simplicity at its finest. With its intuitive design, regulating the stove's temperature is a breeze, thanks to the easily accessible primary and secondary air controls. The inclusion of ActiView technology ensures that the glass on the sturdy steel door stays immaculately clean, providing a clear view of the mesmerizing flames within.

Desire 5 Widescreen
W: 542mm
H: 582mm
D: 356mm

Desire 5
Widescreen Logstore
W: 542mm
H: 827mm
D: 356mm

Flue Diameter
125mm



Desire | Free Standing Multifuel Stove | elgmandhall.com



Flue Outlet
Top and rear

Efficiency
Desire 5: 79% | **A**

Heat Output
5kW

Finishes & Dimensions



Micro Marble Surrounds

Page	Model	Mantel Width	Height	Hearth Width	Hearth Depth	Rebate	Motion Sense Lights	Hearth Option	Finishes
10	Amorina*	1270mm (50")	1137mm	1270mm	400mm	45mm / 75mm	Optional	SL, FS, BN	A, B
8	Deanwood	1320mm (52")	1145mm	1320mm	400mm	45mm / 75mm	Optional	SL	B
10	Elento	1320mm (52")	1115mm	1320mm	400mm	45mm / 75mm	Optional	SL	C
18	Eliana	1220mm (48")	1155mm	1220mm	400mm	45mm / 75mm	Optional	SL, FS, BN	A, B
18	Eliana*	1320mm (52")	1155mm	1320mm	400mm	45mm / 75mm	Optional	SL, FS, BN	A, B
20	Florano	1070mm (42")	1050mm	1070mm	400mm	45mm / 75mm	Optional	SL	B, C
20	Florano	1220mm (48")	1095mm	1220mm	400mm	45mm / 75mm	Optional	SL, FS, BN	B, C, F
7	Millington	1370mm (54")	1162mm	1370mm	400mm	45mm / 75mm	Optional	SL	B, D, E
13	Mosello	1320mm (52")	1115mm	1320mm	400mm	45mm / 75mm	Optional	SL	C
11	Newburgh	1370mm (54")	1162mm	1370mm	400mm	45mm / 75mm	Optional	SL	B, D, E
17	Odella - Inglenook**	1370mm (54")	1235mm	1370mm	400mm*	75mm	Optional	SL	B
16	Odella*	1370mm (54")	1235mm	1370mm	400mm	75mm	Optional	SL	B
16	Odella*	1370mm (54")	1160mm	1370mm	400mm	75mm	Optional	SL	B
9	Roesia*	1270mm (50")	1145mm	1270mm	400mm	45mm / 75mm	Optional	SL, FS, BN	B
19	Sophia*	1270mm (50")	1145mm	1270mm	400mm	45mm / 75mm	Optional	SL, FS, BN	A, B
21	Timara	1070mm (42")	1050mm	1070mm	400mm	45mm / 75mm	Optional	SL	B, C
21	Timara	1220mm (48")	1095mm	1220mm	400mm	45mm / 75mm	Optional	SL, FS, BN	B, C, F
12	Verdena	1220mm (48")	1110mm	1220mm	400mm	45mm / 75mm	Optional	SL	A, B
12	Verdena*	1370mm (54")	1110mm	1370mm	400mm	45mm / 75mm	Optional	SL	A, B
15	Viena	1220mm (48")	1110mm	1220mm	400mm	45mm / 75mm	Optional	SL	A, B
15	Viena*	1370mm (54")	1110mm	1370mm	400mm	45mm / 75mm	Optional	SL	A, B
14	Vitalia	1220mm (48")	1080mm	1220mm	400mm	45mm / 75mm	Optional	SL, FS, BN	B
14	Vitalia*	1320mm (52")	1040mm	1320mm	400mm	45mm / 75mm	Optional	SL, FS, BN	B

*Back panel available with 22" cut out for installation with the Calleos 22" gas or Chollerton 22" electric fires. NB: all of our surrounds are available with Motion Sense lights

†Not suitable for solid fuel stoves | • Inglenook rear hearth supplied - 1016x457x20mm | Inglenook Back Panels not supplied

Micro Marble Inglenook Surrounds

Page	Model	Mantel Width	Height	Hearth Width	Hearth Depth	Hearth Depth Front - Back Panel	Motion Sense Lights	Hearth Option	Finishes
23	Holton	1270mm (50")	1145mm	1270mm	400mm	365mm	Optional	SL	B, L, M
25	Millgate	1170mm (46")	1064mm	1170mm	400mm	365mm	Optional	SL	B, N, O, P
24	Woodbridge	1220mm (48")	1095mm	1220mm	400mm	365mm	Optional	SL	B, N, O, P

Back panel options | See Page 22-25

Timber Inglenook Surrounds

Page	Model	Mantel Width	Height	Hearth Width	Hearth Depth	Hearth Depth Front - Back Panel	Motion Sense Lights	Hearth Option	Finishes
27	Amble	1320mm (52")	1131mm	1320mm	360mm	322mm	Included	SL	H/L
26	Charlestown	1170mm (46")	990mm	1170mm	380mm	295mm	Included	BN	I/K

Micro Marble Gas Fireplaces

Page	Model	Mantel Width	Height	Hearth Width	Hearth Depth	Hearth	Finish	EEC	Efficiency
37	Adele 800CF	1370mm (54")	875mm	1370mm	300mm	SL	B	E	74.7%
32	Alford 600CF	1370mm (54")	1162mm	1370mm	300mm	SL	B, D, E	E	74.3%
33	Alford 750CF	1370mm (54")	1162mm	1370mm	300mm	SL	B, D, E	E	78.1%
36	Cassius	1320mm (52")	967mm	1320mm	400mm	SL	B, C	E	75.3%
36	Earlston	1220mm (48")	897mm	1220mm	400mm	SL	A, B	E	75.3%
30	Erdington 600CF	1370mm (54")	1162mm	1370mm	300mm	SL	B, D, E	E	74.3%
31	Erdington 750CF	1370mm (54")	1162mm	1370mm	300mm	SL	B, D, E	E	78.1%
34	Harlow 800CF	1370mm (54")	930mm	1370mm	300mm	SL	B, D, E	E	74.7%
29	Hartley 600CF	1270mm (50")	1080mm	1270mm	300mm	SL	B	E	74.3%
35	Seaton 750CF	1370mm (54")	1150mm	1370mm	300mm	SL	B	E	78.1%

Inset Gas Fires: Exclusive & Devotion

Page	Model	Width	Height	Inset Depth	Inset Width	Inset Height	EEC
41	Slimline Radiant	510mm	605mm	123mm	403mm	553mm	F
	Deepline Radiant	510mm	605mm	173mm	403mm	553mm	F
	Deepline Convector	510mm	605mm	198mm	403mm	553mm	F
	Mid-Depth High Efficiency	510mm	605mm	128mm	403mm	553mm	D
	Deepline High Efficiency	510mm	605mm	198mm	403mm	553mm	C
	Balanced flue*	510mm	605mm	186mm	400mm	550mm	C

*Includes balanced flue kit

See pages 41 for finishes



Inset Gas Fires: Calleos Gas

Page	Model	Width	Height	Depth	Inset Depth	Inset Width	Inset Height	EEC
42	Calleos 16 - Chollerton	512mm	611mm	232mm	197mm	403mm	555mm	D
	Calleos 16 - Chollerton - Balanced Flue	512mm	611mm	232mm	290 - 580mm	403mm	555mm	D
	Calleos 16 - Edge	511mm	611mm	232mm	197mm	403mm	555mm	D
	Calleos 16 - Edge - Balanced Flue	511mm	611mm	232mm	290 - 580mm	403mm	555mm	D
43	Calleos 22 - Chollerton	612mm	611mm	230mm	195mm	560mm	556mm	C

Wall Mounted Inset Gas Fire


Page	Model	Width	Height	Depth	Inset Depth	Finish	EEC
44	Calleos 600CF - Slim Trim	598mm	598mm	280mm	310mm	Matt Black	E
	Calleos 600CF - Wide Trim	747mm	747mm	280mm	310mm	Matt Black	E
45	Calleos 750CF - Slim Trim	748mm	711mm	280mm	310mm	Matt Black	E
	Calleos 750CF - Wide Trim	807mm	770mm	280mm	310mm	Matt Black	E
46	Calleos 800CF - Slim Trim	798mm	415mm	280mm	310mm	Matt Black	E
	Calleos 800CF - Wide Trim	857mm	474mm	280mm	310mm	Matt Black	E
43	Elsie 950	800mm	622mm	273mm	255mm	Matt Black	E
47	Elsie 960 Balanced Flue*	1198mm	666mm	187mm	174mm	Brushed Steel Trim	C


*Includes balanced flue kit

Inset Gas Fires: Cast Stove Front

Page	Model	Width	Height	Depth	Inset Depth	Inset Width	Inset Height	EEC
40	16 Mid-Depth High Efficiency	562mm	659mm	128mm	128mm	403mm	553mm	D
	16 Deepline High Efficiency	562mm	659mm	198mm	198mm	403mm	553mm	C
	16 Balanced flue*	562mm	659mm	186mm	186mm	400mm	550mm	C
42	16 Calleos	562mm	659mm	232mm	197mm	403mm	555mm	D
	16 Calleos - Balanced Flue	562mm	659mm	232mm	290 - 580mm	403mm	555mm	D
43	22 Calleos	668mm	672mm	230mm	195mm	560mm	556mm	C

*Includes balanced flue kit | Calleos was formerly the Chollerton





All multifuel stoves are smoke exempt. External air intake option available on all Ignite and Desire models.

EEC = Energy Efficiency Class | All dimensions shown in mm.
Endure Balanced Flue Stove come complete with the flue kit.
For full product specifications please visit www.elginandhall.com

Freestanding Gas Stoves

Page	Model	Width (A)	Height (B)	Depth (C)	Flue Diameter	To centre of rear flue (D)	To centre of top flue (E)	Nominal Heat Output	Efficiency	EEC
51	Desire 5	430	582	371	125	480	130	6kW Input / 4.5kW Output	83%	C-E
	Desire 7	542	582	345	125	N/A	162	6.5kW Input / 4.7kW Output	80%	E
48	Endure Balanced Flue	542	622	336	150	417	N/A	4.2kW Input / 3.3kW Output	86.2%	C
49	Hereford 5	453	606	381	125	503	125	6kW Input / 4.5kW Output	83%	C-E
	Hereford 7	565	606	376	125	N/A	165	6.5kW Input / 4.7kW Output	80%	E
50	Ignite 5	430	582	371	125	480	130	6kW Input / 4.5kW Output	83%	C-E
	Ignite 7	542	582	345	125	N/A	162	6.5kW Input / 4.7kW Output	80%	E

Freestanding Multifuel Stoves: EcoDesign Ready 2022 (for woodburning)

Page	Model	Fuel Type	Width (A)	Height (B)	Depth (C)	Flue Diameter	To centre of rear flue (D)	To centre of top flue (E)	Nominal Heat Output	Efficiency	EEC	DEAS KIT (Direct External Air Supply)
55	Desire 5 Widescreen	Multifuel	542	582	356	125	470	115	5kW: Wood	79% Wood	A	✓
	Desire 5 Widescreen with log store	Multifuel	542	827	356	125	715	115	5kW: Wood	79% Wood	A	✓
53	Hereford Widescreen	Multifuel	565	608	366	125	494	120	5kW: Wood	79% Wood	A	✓
54	Ignite 5 Widescreen	Multifuel	542	582	356	125	470	115	5kW: Wood	79% Wood	A	✓
	Ignite 5 Widescreen with log store	Multifuel	542	827	356	125	715	115	5kW: Wood	79% Wood	A	✓

Stove Accessories

Page	Model	Width	Height	Depth	Finish
52	Curved Log Basket	450	358	350	Matt Black - 3mm Mild Steel
	Square Log Basket	447	340	352	Matt Black - 3mm Mild Steel

ARTEON

NEW BROCHURE - IN STORE OR DOWNLOAD ONLINE



P R  Z M

REVOLUTIONIZING FLAMES

www.pryzmfires.com

bemodern®

For more information on our other brands, please
contact below.

P R  Z M
REVOLUTIONIZING FLAMES

www.pryzmfires.com

tel: 0191 430 9434



FLARE 
collection

www.flarecollection.com

tel: 0191 489 8006



ELGIN & HALL®

BRITISH MADE

www.elginandhall.com

tel: 0191 430 9434



— est. 1964 —

atlantabathrooms.com

tel: 0191 428 0444





ELGIN & HALL®
BRITISH MADE



Contact Us

For more information or to place an order please contact us

Tel: 0191 430 9434 | Email: enquiries@elginandhall.co.uk | Visit: www.elginandhall.com

BeModern® | 19/34 Bedesway | Bede Industrial Estate | Jarrow | Tyne and Wear | NE32 3BE

BeModern® hold design copyright and registration of design for its product ranges. BeModern® are continually striving to improve and develop their range of products. It is important, therefore, to check details before ordering as sizes and specifications may change without prior notice. Whilst every effort is made to ensure accuracy and colour, it is not always possible to obtain perfect reproduction because of the materials and printing processes used and you may find that shades, natural grain markings and marble colouring are not consistent. © BeModern® Aug 2023

Front cover: Harlow 800CF (Page 34)

